



**BASIC FEATURES**

- Connection diameters for 100 – 400 mm pipe
- Class Coarse 65% (G4) plate filter cartridge


The **FLK-B** plate filter box is designed for removing common mechanic contaminants (dust, leaves, flowers, and so on) from the air conveyed by HVAC systems. The box is made of galvanized plate. The sleeves are fitted with rubber packing. The filter cartridge is made of unwoven synthetic fiber fabric.

**Filter cartridge:**

Filtering class / particle separation effectivity Coarse 65% (G4) / 91%




**PRIMARY PARAMETERS**



Type	Dimensions [mm]					Weight [kg]	Spare air-filter mats	
	D	A	B	C	E		Type class Coarse 65%	Dimensions [mm]
FLK-B-100	100	208	167	120	168	2,1	G4-B-100P+M	298 x 180
FLK-B-125	125	218	202	140	188	2,1	G4-B-125P+M	333 x 215
FLK-B-150	150	268	232	155	203	2,3	G4-B-150P+M	390 x 245
FLK-B-160	160	268	232	155	203	2,3	G4-B-160P+M	390 x 245
FLK-B-200	200	318	271	180	228	3,5	G4-B-200P+M	461 x 285
FLK-B-250	250	365	319	230	278	3,5	G4-B-250P+M	567 x 335
FLK-B-315	315	428	387	330	378	6,1	G4-B-315P+M	762 x 400
FLK-B-355	355	518	492	455	583	8,4	G4-B-355P+M	1021 x 505
FLK-B-400	400	518	492	455	583	8,4	G4-B-400P+M	1021 x 505

**Pressure loss curves, filtration class Coarse 65% (G4)**





**ACCESSORIES**

**Spare class Coarse 65% (G4) filter cartridge**

**G4-B-xxxP+M** - (xxx - filter box connection pipe diameter)



**KEY TO CODING**

**FLK-B - 160 - 3/4**

**3/4** - filtration class Coarse 65% (G4)

**100 ... 400** - nominal ducting diameter in mm

**FLK-B** - desk air-filter box